# Pt. 214, App. A

or hi-rail vehicle or at a location designated by the employer.

### APPENDIX A TO PART 214—SCHEDULE OF CIVIL PENALTIES $^{1}$

Section	Violation	Willful
Subpart B—Bridge Worker Safety Standards		
214.103 Fall protection:		
(i) Failure to provide fall protection	\$5,000	\$10,000
(ii) Failure to use fall protection		2,500
214.105 Standards and practices:		
(a) General:		
(1) Fall protection used for other purposes	2,500	5,000
(2) Failure to remove from service	2,500	5,000
(3) Failure to protect from deterioration	2,500	5,000
(4) Failure to inspect and remove	5,000	10,000
(5) Failure to train	5,000	10,000
(6) Failure to provide for prompt rescue	5,000	10,000
(7) Failure to prevent damage	2,500	5,000
(8) Failure to use proper connectors	2,500	5,000
(9) Failure to use proper anchorages	2,500	5,000
(b) Fall arrest system:		
(1)–(17) Failure to provide conforming equipment	2,500	5,000
(c) Safety net systems:	2 - 2 - 2	- 00-
(1) Failure to install close to workplace	2,500	5,000
(2) Failure to provide fall arrest if over 30 feet	5,000	10,000
(3) Failure to provide for unobstructed fall	5,000	10,000
(4) Failure to test	2,500	5,000
(5) Failure to use proper equipment	2,500	5,000
(6) Failure to prevent contact with surface below	5,000	10,000
(7) Failure to properly install	5,000	10,000
(8) Failure to remove defective nets	5,000	10,000
(9) Failure to inspect	5,000	10,000
(10) Failure to remove objects	1,000	2,500
(11)–(13) Failure to use conforming equipment	2,500	10,000
214.107 Working over water:	5 000	40.000
(a)(i) Failure to provide life vest	5,000	10,000
(ii) Failure to use life vest	0.500	1,500
(c) Failure to inspect	2,500	5,000
(e)(i) Failure to provide ring bouys	5,000	10,000
(ii) Failure to use ring bouys(f)(i) Failure to provide skiff	1,000	1,500 2,500
(ii) Failure to use skiff		1,500
214.109 Scaffolding:		1,500
(a)–(f) Failure to provide conforming equipment	2,500	5,000
214.113 Head protection:	2,300	5,000
(a)(i) Failure to provide	2,500	5,000
(ii) Failure to use	2,300	1,500
(b) or (c) Failure to provide conforming equipment	2,500	5,000
214.115 Foot protection:	2,300	3,000
(a)(i) Failure to require use of	2,500	5,000
(ii) Failure to use	2,000	1,500
214.117 Eye and face protection:		1,000
(a)(i) Failure to provide	2,500	5,000
(ii) Failure to use	2,000	1,500
(b) Failure to use conforming equipment	2.500	5.000
(c) Use of defective equipment	2,500	5,000
(d) Failure to provide for corrective lenses	2,500	5,000
Subpart C—Roadway Worker Protection Rule	_,,,,,	-,
·		
214.303 Railroad on-track safety programs, generally:  (a) Failure of a railroad to implement an On-track Safety Program	10,000	20,000
(b) On-track Safety Program of a railroad includes no internal monitoring procedure	5,000	10,000
214.305 Compliance Dates:	0,000	10,000
Failure of a railroad to comply by the specified dates	5,000	10,000
214.307 Review and approval of individual on-track safety programs by FRA:	3,000	10,000
(a)(i) Failure to notify FRA of adoption of On-track Safety Program	1,000	5,000
(ii) Failure to designate primary person to contact for program review	1,000	2,000
214.309 On-track safety program documents:	1,000	2,000
(1) On-track Safety Manual not provided to prescribed employees	2,000	5,000
(2) On-track Safety Program documents issued in fragments	2,000	5,000
214.311 Responsibility of employers:		5,550
(b) Roadway worker required by employer to foul a track during an unresolved challenge	5,000	10,000
(-,	. 0,000	10,000

## Federal Railroad Administration, DOT

# Pt. 214, App. A

Section	Violation	Willful
(c) Roadway workers not provided with written procedure to resolve challenges of on-track safety procedures	5,000	10,000
<ul><li>214.313 Responsibility of individual roadway workers:</li><li>(b) Roadway worker fouling a track when not necessary in the performance of duty</li><li>(c) Roadway worker fouling a track without ascertaining that provision is made for on-track</li></ul>		1,000
safety		1,500
visions		3,000
214.315 Supervision and communication: (a) Failure of employer to provide job briefing	2,000	10,000
(b) Incomplete job briefing	2,000	5,000
(c)(i) Failure to designate roadway worker in charge of roadway work group	2,000	5,000
(ii) Designation of more than one roadway worker in charge of one roadway work group	1,000	2,000
(iii) Designation of non-qualified roadway worker in charge of roadway work group	3,000	6,000
(d)(i) Failure to notify roadway workers of on-track safety procedures in effect	3,000	6,000
dures in effect	3,000	6,000
(iii) Failure to notify roadway workers of change in on-track safety procedures	3,000	6,000
(e)(i) Failure of lone worker to communicate with designated employee for daily job briefing (ii) Failure of employer to provide means for lone worker to receive daily job briefing 214.317 On-track safety procedures, generally:	3,000	1,500 6,000
On-track safety rules conflict with this part	5,000	10,000
214.319 Working limits, generally:		40.0
(a) Non-qualified roadway worker in charge of working limits	5,000	10,000
(b) More than one roadway worker in charge of working limits on the same track segment (c)(1) Working limits released without notifying all affected roadway workers	2,000	5,000
(2) Working limits released before all affected roadway workers are otherwise protected	5,000 5,000	10,000 10,000
214.321 Exclusive track occupancy:	2 000	5,000
(b) Improper transmission of authority for exclusive track occupancy(b)(1) Failure to repeat authority for exclusive track occupancy to issuing employee	2,000	1.500
(2) Failure to retain possession of written authority for exclusive track occupancy		1,000
(3) Failure to record authority for exclusive track occupancy when issued		2.000
(c) Limits of exclusive track occupancy not identified by proper physical features	2,000	4,000
way worker in charge	5,000	10,000
roadway worker in charge	5,000	10,000
out authority of roadway worker in charge214.323 Foul time:	5,000	10,000
(a) Foul time authority overlapping movement authority of train or equipment	5,000	10,000
(b) Failure to repeat foul time authority to issuing employee		1,500
(a) Train coordination limits established where more than one train is authorized to operate	1,500	4,000
(b)(1) Train coordination established with train not visible to roadway worker at the time		1,500
(2) Train coordination established with moving train(3) Coordinated train moving without authority of roadway worker in charge	2 000	1,500
(4) Coordinated train releasing movement authority while working limits are in effect	2,000 3,000	5,000 6,000
(a) Improper control of entry to inaccessible track	3,000	6,000
(5) Remotely controlled switch not properly secured by control operator	3,000	6,000
(b) Train or equipment moving within inaccessible track limits without permission of roadway		
worker in charge	3,000	6,000
(c) Unauthorized train or equipment located within inaccessible track limits	2,000	5,000
(a) Failure to give timely warning of approaching train		5,000
(b)(1) Failure of watchman/lookout to give full attention to detecting approach of train		3,000 5,000
(c) Failure to provide proper warning signal devices	3,000 2,000	5,000
(d) Failure to maintain position to receive train approach warning signal		2,000
(e) Failure to communicate proper warning signal		3,000
(f)(1) Assignment of non-qualified person as watchman/lookout	3,000	5,000
(2) Non-qualified person accepting assignment as watchman/lookout		1,500
(g) Failure to properly equip a watchman/lookout	2,000	4,000
(a) Definite train location established where prohibited	3,000	5,000
(b) Failure to phase out definite train location by required date	3,000	5,000
(d)(1) Train location information issued by unauthorized person	2,000	5,000
(2) Failure to include all trains operated on train location list	3,000	5,000
(5) Failure to clear a by ten minutes at the last station at which time is shown	2.000	2,000
(6) Train passing station before time shown in train location list	3,000 2,000	5,000 3,000
214.333 Informational line-ups of trains:  (a) Informational line-ups of trains used for on-track safety where prohibited		5,000
(a) informational line-ups of trains used for on-track safety where profibiled	3,000	5,000

## Pt. 214, App. A

Section	Violation	Willful
(b) Informational line-up procedures inadequate to protect roadway workers	5,000	10,000
(c) Failure to discontinue informational line-ups by required date	5,000	10,000
214.335 On-track safety procedures for roadway work groups :  (a) Failure to provide on-track safety for a member of a roadway work group	3,000	5,000
(b) Member of roadway work group fouling a track without authority of employee in charge		2,000
(c) Failure to provide train approach warning or working limits on adjacent track where re-		
quired	3,000	5,000
214.337 On-track safety procedures for lone workers: (b) Failure by employer to permit individual discretion in use of individual train detection	5,000	10,000
(c)(1) Individual train detection used by non-qualified employee		4,000
(2) Use of individual train detection while engaged in heavy or distracting work		2,000
(3) Use of individual train detection in controlled point or manual interlocking(4) Use of individual train detection with insufficient visibility		2,000 2,000
(5) Use of individual train detection with interfering noise		2,000
(6) Use of individual train detection while a train is passing		3,000
(d) Failure to maintain access to place of safety clear of live tracks		2,000
(e) Lone worker unable to maintain vigilant lookout(f)(1) Failure to prepare written statement of on-track safety		2,000 1,500
(2) Incomplete written statement of on-track safety		1,000
(3) Failure to produce written statement of on-track safety to FRA		1,500
214.339 Audible warning from trains:		
(a) Failure to require audible warning from trains(b) Failure of train to give audible warning where required		4,000
214.341 Roadway maintenance machines:	1,000	3,000
(a) Failure of on-track safety program to include provisions for safety near roadway mainte-		
nance machines	3,000	5,000
(b) Failure to provide operating instructions	2,000	4,000
(1) Assignment of non-qualified employee to operate machine	2,000	5,000 5,000
(3) Roadway worker working with unfamiliar machine	2,000	5,000
(c) Roadway maintenance machine not clear of passing trains	3,000	6,000
214.343 Training and qualification, general:	5 000	40.000
(a)(1) Failure of railroad program to include training provisions	5,000 3,000	10,000 6,000
(b) Failure to provide annual training		5,000
(c) Assignment of non-qualified railroad employees to provide on-track safety		8,000
(d)(1) Failure to maintain records of qualifications	2,000	4,000
(2) Incomplete records of qualifications	1,000 2,000	3,000 4,000
214.345 Training for all roadway workers	2,000	4,000
214.347 Training and qualification for lone workers		
214.349 Training and qualification of watchmen/lookouts		
214.351 Training and qualification of flagmen 214.353 Training and qualification of roadway workers who provide on-track safety for roadway		
work groups		
214.355 Training and qualification in on-track safety for operators of roadway maintenance machines		
Subpart D—On-Track Roadway Maintenance Machines and Hi-Rail Vehicles		
<ul><li>214.503 Good-faith challenges; procedures for notification and resolution:</li><li>(a) Failure of employee to notify employer that the machine or vehicle does not comply</li></ul>		
with this subpart or has a condition inhibiting safe operation		4,000
(b) Roadway worker required to operate machine or vehicle when good-faith challenge not		
resolved	5,000	10,000
(c) Failure of employer to have or follow written procedures to resolve good-faith challenges	5,000	10,000
214.505 Required environmental control and protection systems for new on-track roadway maintenance machines with enclosed cabs:	3,000	10,000
(a) Failure to equip new machines with required systems	5,000	10,000
(b) Failure of new or existing machines to protect employees from exposure to air con-		
taminants(c) Failure of employer to maintain required list of machines or make list available	5,000	10,000 4,000
(d) Removal of "designated machine" from list before retired or sold	2,000 2,000	4,000
(e) Personal respiratory protective equipment not provided when ventilation system fails	5,000	10,000
(f) Personal respiratory protective equipment fails to meet required standards	5,000	10,000
(g) Other new machines with enclosed cabs not equipped with operable heating and ven-	F 000	40.000
tilation systems(h) Non-enclosed station not equipped with covering, where feasible	5,000 5,000	10,000 10,000
214.507 Required safety equipment for new on-track roadway maintenance machines:	3,000	10,000
(a)(1)-(5) Failure to equip new machine or provide protection as specified in these para-		
	5,000	10,000
graphs	0,000	
graphs(a)(6)–(7) Failure to equip new machine with first-aid kit or operative and charged fire ex-		5 000
graphs	2,500	5,000

#### Federal Railroad Administration, DOT

#### Pt. 215

(d) As-built light weight not conspicuously displayed on new machine nance machines 214.509 Required visual illumination and reflective devices for new on-track roadway maintenance machines 25,000 5,000 10,000 114.511 Required audible warning devices for new on-track roadway maintenance machines 5,000 10,000 10,000 inside cab for each roadway worker transported on machine 5,000 10,000 (b) Horn or other audible warning device is missing, inoperable, or has non-compliant triggering mechanism (c) Illumination device or portable light missing, inoperable, or has non-compliant triggering mechanism (c) Illumination device or portable light missing, inoperable, improperly secured, or incapable of illuminating track as required 25,000 10,000	Section	Violation	Willful
14.511 Required audible warning devices for new on-track roadway maintenance machines  (a) Failure to provide safe and secure position and protection from moving parts 2,000  4,000 inside cast for each roadway worker transported on machine  (b) Horn or other audible warning device is missing, inoperable, or has non-compliant triggering mechanism  (c) Illumination device or portable light missing, inoperable, or has non-compliant triggering mechanism  (c) Illumination device or portable light missing, inoperable, or has non-compliant triggering mechanism  (c) Illumination device or portable light missing, inoperable, or has non-compliant triggering mechanism  (c) Illumination device or portable light missing, inoperable, or has non-compliant triggering mechanism and triggering mechanism.  (a) Failure to display light weight of machine as required  (b) Failure to equip machine with reflective material, reflective device, or operable brake lights  (c) Failure to equip mechanism with turntable restraint device or warning light as required  (d) Failure to equip mechanism with turntabl	(d) As-built light weight not conspicuously displayed on new machine		5,000 5,000
214.511 Required audible warning devices for new on-track roadway maintenance machines.  (a) Failure to provide safe and secure position and protection from moving parts 2,000 4,000 inside cafe for each roadway worker transported on machine (b) Horn or other audible warning device is missing, inoperable, or has non-compliant triggering mechanism (c) Illiumination device or portable light missing, inoperable, or has non-compliant triggering mechanism (c) Illiumination device or portable light missing, inoperable, or has non-compliant triggering mechanism (a) Failure to repair, reinstall, or maintain overhead cover as required (a) Failure to repair, reinstall, or maintain overhead cover as required (b) Failure to provide written response to operator's request within 60 days (c) Failure to equip machine with change-of-direction alarm or rearward viewing device. (c) Failure to equip machine with operative heater (d) Failure to equip machine with operative heater (e) Failure to equip machine with reflective material, reflective device, or operable brake lights (d) Failure to equip machine with turntable restraint device or warning light as required (d) Failure to install or replace safety glass as required (f) Failure to equip machine with turntable restraint device or warning light as required (g) Failure to inspect hi-rail gear annually (h) Failure to repair or replace non-complying condition (h) Failure to repair or replace non-complying condition (h) Failure of operator to tag, date, or report non-complying condition (h) Failure of operator to tag, date, or report non-complying condition (h) Failure of operator to tag, date, or report non-complying condition (c) Failure of operator to tag, date, or report non-complying condition (c) Failure of operator to tag, date, or report non-complying condition (c) Failure of operator to tag, date, or report non-complying condition (c) Failu		2 500	5 000
4,000 inside cab for each roadway worker transported on machine  (b) Horn or other audible warning device is missing, inoperable, or has non-compliant triggering mechanism  (c) Illumination device or portable light missing, inoperable, improperly secured, or incapable of illuminating track as required  2,500  10,000  2,500  2,500  10,000  2,500  2,500  10,000  2,500  2,500  10,000  2,500  2,500  10,000  2,500  10,000  2,500  10,000  2,500  10,000  2,500  10,000  2,500  10,000  2,500  10,000  2,500  10,000  2,500  10,000  10,000  2,500  10,000  10,000  10,000  10,000  10,000  10,000  10,000  10,000  10,000  10,000  10,000  10,000  10,000  10,000  10,000  11,512  11,513  12,514  13,515  14,515  15,515	214.511 Required audible warning devices for new on-track roadway maintenance machines 214.513 Retrofitting of existing on-track roadway maintenance machines; general:	,	10,000
gering mechanism	4,000 inside cab for each roadway worker transported on machine	5,000	10,000
214.515 Overhead covers for existing on-track roadway maintenance machines:  (a) Failure to repair, reinstall, or maintain overhead cover as required	gering mechanism(c) Illumination device or portable light missing, inoperable, improperly secured, or incapa-	2,500	5,000
(b) Failure to provide written response to operator's request within 60 days 2,000 4,000 214.517 Retrolitting of existing on-track roadway maintenance machines manufactured on or after January 1, 1991:  (a) Failure to equip machine with change-of-direction alarm or rearward viewing device 5,000 10,000 (b) Failure to equip machine with operative heater 5,000 (d) Failure to equip machine with operative heater 5,000 (d) Failure to equip machine with reflective material, reflective device, or operable brake lights 5,000 (e) Failure to install or replace safety glass as required 5,000 10,000 (f) Failure to equip machine with turntable restraint device or warning light as required 5,000 10,000 (f) Failure to equip machine with turntable restraint device or warning light as required 5,000 10,000 214.518 Floors, decks, stairs, and ladders for on-track roadway maintenance machines 5,000 10,000 214.521 Flagging equipment for on-track roadway maintenance machines and hi-rail vehicles 2,500 5,000 (c) Failure to inspect hi-rail gear annually 2,500 (d)(2) Failure to equip new hi-rail vehicle with alarm and light or beacon as required 2,500 5,000 (d)(2) Failure to repair or replace non-complying alarms, lights or beacons as required 2,500 5,000 (d)(3) Failure to repair or replace non-complying alarms, lights or beacons as required 2,500 5,000 (c)(f)(-(4) Failure to operator to tag, date, or report non-complying condition 2,000 4,000 (c)(f)(-(4) Failure to repair or replace mon-complying condition 2,000 4,000 (c)(5) Failure to repair or replace defective or missing operator's seat within required time period 2,500 5,000 10,000 214.527 On-track roadway maintenance machines; inspection for compliance and schedule for repairs:  (a) Failure to repair or replace defective or missing operator's seat within required time period 5,000 10,000 214.529 In-service failure of primary braking system 5,000 5,000 2,000 2,000 2,000 2,000 2,000 2,000 2,000 2,000 2,000 2,	214.515 Overhead covers for existing on-track roadway maintenance machines:	· 1	5,000
214.517 Retrofitting of existing on-track roadway maintenance machines manufactured on or after January 1, 1991:  (a) Failure to equip machine with change-of-direction alarm or rearward viewing device			10,000
(b) Failure to equip machine with operative heater 5,000 (c) Failure to display light weight of machine as required 2,500 5,000 (d) Failure to equip machine with reflective material, reflective device, or operable brake lights 5,000 (e) Failure to equip machine with truntable restraint device or warning light as required 5,000 10,000 (f) Failure to equip machine with turntable restraint device or warning light as required 5,000 10,000 214.518 Safe and secure position for riders 5,000 110,000 214.519 Floors, decks, stairs, and ladders for on-track roadway maintenance machines 5,000 10,000 214.521 Flagging equipment for on-track roadway maintenance machines 5,000 10,000 (a) Failure to inspect hi-rail gear annually 5,000 (c) Failure to inspect hi-rail gear annually 5,000 (d) Failure to maintain inspection record or make record available to FRA 2,000 (d) Failure of operator to tag, date or report non-complying condition 2,000 4,000 (d) Failure to repair or replace non-complying alarms, lights or beacons as required 5,000 5,000 214.527 Towing with on-track roadway maintenance machines or hi-rail vehicles 5,000 10,000 (c) Failure of operator to check on-track roadway maintenance machines or hi-rail vehicles 5,000 10,000 (c) Failure of operator to tag, date, or report non-complying condition 2,000 4,000 (c) Failure of operator to tag, date, or report non-complying condition 2,000 4,000 (c) Failure of operator to tag, date, or report non-complying condition 2,000 4,000 (c) Failure of operator to tag, date, or report non-complying condition 5,000 10,000 (c) Failure to meet requirements for operating on-track roadway maintenance machine with non-complying headlights, work lights, horn, fire extinguisher, alarm, warning light, or beacon 5,000 5,000 10,00	214.517 Retrofitting of existing on-track roadway maintenance machines manufactured on or after	2,000	4,000
(c) Failure to display light weight of machine as required (d) Failure to equip machine with reflective material, reflective device, or operable brake lights (e) Failure to install or replace safety glass as required (f) Failure to equip machine with turntable restraint device or warning light as required (f) Failure to equip machine with turntable restraint device or warning light as required (f) Failure to equip machine with turntable restraint device or warning light as required (f) Failure to equip machine with turntable restraint device or warning light as required (f) Failure to equip machine with turntable restraint device or warning light as required (f) Failure to requip machine with turntable restraint device or warning light as required (f) Failure to requip machine with turntable restraint device or warning light as required (f) Failure to requip machine with turntable restraint device or warning light as required (f) Failure to repair or on-track roadway maintenance machines (g) Failure to inspect hi-rail gear annually (g) Failure to inspect hi-rail gear annually (g) Failure to inspect hi-rail gear annually (g) Failure to maintain inspection record or make record available to FRA (g) Failure to maintain inspection record or make record available to FRA (g) Failure to requip new hi-rail vehicles (g) Failure to repair or replace non-complying condition (g) Failure to repair or replace non-complying alarms, lights or beacons as required (g) Failure to repair or replace non-complying condition (g) Failure of operator to check on-track roadway maintenance machine for compliance (g) Failure of operator to check on-track roadway maintenance machine for compliance (g) Failure of operator to to add at the repair of repairs on the requirements for operating on-track roadway maintenance machine machine machine or perairs of perairs on the requirements of operator's seat within required time period (g) Failure to repairs subject to availability of parts: (g) Food for the repairs of the repairs of the repairs o			10,000
(d) Failure to equip machine with reflective material, reflective device, or operable brake lights			
(e) Failure to install or replace safety glass as required (f) Failure to equip machine with turntable restraint device or warning light as required	(d) Failure to equip machine with reflective material, reflective device, or operable brake	·	ŕ
(f) Failure to equip machine with turntable restraint device or warning light as required			
214.518 Safe and secure position for riders		- ,	
214.519 Floors, decks, stairs, and ladders for on-track roadway maintenance machines			
214.521 Flagging equipment for on-track roadway maintenance machines and hi-rail vehicles		- ,	
(b) Failure to maintain inspection record or make record available to FRA 2,000 4,000 (c) Failure to equip new hi-rail vehicle with alarm and light or beacon as required 2,500 5,000 (d)(2) Failure of operator to tag, date or report non-complying condition 2,500 4,000 (d)(3) Failure to repair or replace non-complying alarms, lights or beacons as required 2,500 5,000 10,000 114,525 Towing with on-track roadway maintenance machines or hi-rail vehicles 5,000 10,00	214.521 Flagging equipment for on-track roadway maintenance machines and hi-rail vehicles	-,	5,000
(c) Failure to equip new hi-rail vehicle with alarm and light or beacon as required	(a) Failure to inspect hi-rail gear annually	5,000	10,000
(d)(2) Failure of operator to tag, date or report non-complying condition	(b) Failure to maintain inspection record or make record available to FRA	2,000	4,000
(d)(3) Failure to repair or replace non-complying alarms, lights or beacons as required 2,500 5,000 214.525 Towing with on-track roadway maintenance machines or hi-rail vehicles 5,000 10,000 214.527 On-track roadway maintenance machines; inspection for compliance and schedule for repairs:  (a) Failure of operator to check on-track roadway maintenance machine for compliance 2,000 4,000 (c)(1)—(4) Failure to meet requirements for operating on-track roadway maintenance machine with non-complying headlights, work lights, horn, fire extinguisher, alarm, warning light, or beacon (c)(5) Failure to repair or replace defective or missing operator's seat within required time period 5,000 10,000 214.529 In-service failure of primary braking system 5,000 10,000 214.531 Schedule of repairs; general 2,500 5,000 214.533 Schedule of repairs subject to availability of parts:  (a)—(c) Failure to order necessary part(s), make repair(s), or remove on-track roadway maintenance machine or hi-rail vehicle from service as required 2,500 5,000		2,500	5,000
214.525 Towing with on-track roadway maintenance machines or hi-rail vehicles			4,000
214.527 On-track roadway maintenance machines; inspection for compliance and schedule for repairs:  (a) Failure of operator to check on-track roadway maintenance machine for compliance (b) Failure of oeprator to tag, date, or report noncomplying condition (c)(1)–(4) Failure to meet requirements for operating on-track roadway maintenance machine with non-complying headlights, work lights, horn, fire extinguisher, alarm, warning light, or beacon (c)(5) Failure to repair or replace defective or missing operator's seat within required time period 5,000 10,000 214.529 In-service failure of primary braking system 5,000 5,000 214.531 Schedule of repairs; general 2,500 5,000 214.533 Schedule of repairs subject to availability of parts:  (a) - (c) Failure to order necessary part(s), make repair(s), or remove on-track roadway maintenance machine or hi-rail vehicle from service as required 2,500 5,000 5,000			
(a) Failure of operator to check on-track roadway maintenance machine for compliance (b) Failure of oeprator to tag, date, or report noncomplying condition (c)(1)–(4) Failure to meet requirements for operating on-track roadway maintenance machine with non-complying headlights, work lights, horn, fire extinguisher, alarm, warning light, or beacon (c)(5) Failure to repair or replace defective or missing operator's seat within required time period 5,000 10,000 214.529 In-service failure of primary braking system 5,000 10,000 214.531 Schedule of repairs; general 2,500 5,000 214.533 Schedule of repairs subject to availability of parts: (a)–(c) Failure to order necessary part(s), make repair(s), or remove on-track roadway maintenance machine or hi-rail vehicle from service as required 2,500 5,000	214.527 On-track roadway maintenance machines; inspection for compliance and schedule for	5,000	10,000
(b) Failure of ceprator to tag, date, or report noncomplying condition (c)(1)-(4) Failure to meet requirements for operating on-track roadway maintenance machine with non-complying headlights, work lights, horn, fire extinguisher, alarm, warning light, or beacon (c)(5) Failure to repair or replace defective or missing operator's seat within required time period 11-service failure of primary braking system 5,000 10,000 11-service failure of repairs; general Schedule of repairs subject to availability of parts: (a)-(c) Failure to order necessary part(s), make repair(s), or remove on-track roadway maintenance machine or hi-rail vehicle from service as required 2,500 4,000 4,000 4,000 4,000 4,000 5,000 5,000 5,000 5,000 10,000 5,000 10,000 5,000 5,000 5,000 5,000		2 000	4 000
(c)(5) Failure to repair or replace defective or missing operator's seat within required time period	(b) Failure of oeprator to tag, date, or report noncomplying condition(c)(1)–(4) Failure to meet requirements for operating on-track roadway maintenance ma-	,	4,000
214.529     In-service failure of primary braking system     5,000     10,000       214.531     Schedule of repairs; general     2,500     5,000       214.533     Schedule of repairs subject to availability of parts: <ul> <li>(a)-(c) Failure to order necessary part(s), make repair(s), or remove on-track roadway maintenance machine or hi-rail vehicle from service as required</li> <li>2,500</li> <li>5,000</li> </ul>	(c)(5) Failure to repair or replace defective or missing operator's seat within required time	·	5,000
214.531 Schedule of repairs; general			10,000
214.533 Schedule of repairs subject to availability of parts:  (a)–(c) Failure to order necessary part(s), make repair(s), or remove on-track roadway maintenance machine or hi-rail vehicle from service as required		- ,	10,000
maintenance machine or hi-rail vehicle from service as required	214.533 Schedule of repairs subject to availability of parts:	2,500	5,000
		2,500	5,000
1, ,	(d) Failure to maintain record or make record available to FRA	2,000	4,000

<sup>&</sup>lt;sup>1</sup>A penalty may be assessed against an individual only for a willful violation. The Administrator reserves the right to assess a penalty of up to \$100,000 for any violation where circumstances warrant. See 49 CFR part 209, appendix A.

[57 FR 28127, June 24, 1992, as amended at 61 FR 65981, Dec. 16, 1996; 63 FR 11620, Mar. 10, 1998; 68 FR 44412, July 28, 2003; 69 FR 8839, Feb. 26, 2004; 69 FR 30593, May 28, 2004; 73 FR 79701, Dec. 30, 2008]

#### PART 215—RAILROAD FREIGHT CAR SAFETY STANDARDS

### $215.13 \quad {\bf Pre-departure \ inspection.}$

215.15 Periodic inspection.

#### Subpart A—General

## Subpart B—Freight Car Components

Sec.

SUSPENSION SYSTEM

215.1 Scope of part.215.3 Application.215.5 Definitions.

215.103 Defective wheel. 215.105 Defective axle.

215.101 Scope.

215.7 Prohibited acts.215.9 Movement of defective cars for repair.215.11 Designated inspectors.

215.107 Defective plain bearing box: General. 215.109 Defective plain bearing box: Journal lubrication system.